

## **KNEE – CORRELATION TO FUNCTION**

- DVIR, Z, et al.  
QUADRICEPS FUNCTION AND PATELLOFEMORAL PAIN SYNDROME. PART II:  
THE BREAK PHENOMENON DURING ECCENTRIC ACTIVITY  
Isokinetics Exer Sci 1(1):31-34, 1991  
Biodex #92-315
- GRAHAM, V, et al.  
ELECTROMYOGRAPHIC EVALUATION TO CLOSED AND OPEN KINETIC CHAIN KNEE REHABILITATION EXERCISES  
J of Athletic Training, 28(1), 1993  
Biodex #93-240
- NOYES, FR, et al.  
ABNORMAL LOWER LIMB SYMMETRY DETERMINED BY FUNCTION HOP TESTS AFTER ANTERIOR CRUCIATE  
LIGAMENT RUPTURE  
American J of Sprt Med, 19:5, 513-518, 1991  
Biodex #92-279
- PINCIVERO, DM, et al.  
RELIABILITY AND PRECISION OF ISOKINETIC STRENGTH AND MUSCULAR ENDURANCE FOR THE QUADRICEPS AND  
HAMSTRINGS  
Int. J Sports Med., 18:113-117 (1997)  
Biodex #93-274
- EFFECTS OF REST INTERVAL ON ISOKINETIC STRENGTH AND FUNCTIONAL PERFORMANCE AFTER SHORT TERM  
HIGH INTENSITY TRAINING  
Br J Sports Med, 31:229-234  
Biodex #93-275
- RELATION BETWEEN OPEN AND CLOSED KINEMATIC CHAIN ASSESSMENT OF KNEE STRENGTH AND FUNCTIONAL  
PERFORMANCE  
Clinical J of Sports Med, 7:11:11-16 (1997)  
Biodex #93-276
- WILK, K, et al.  
THE RELATIONSHIP BETWEEN SUBJECTIVE KNEE SCORES, ISOKINETIC TESTING, AND FUNCTIONAL TESTING IN THE  
ACL - RECONSTRUCTED KNEE  
JOSPT 20(2):60-73, 1994  
Biodex #92-319